

r

STATE OF HAWAII
STATE PROCUREMENT OFFICE
HONOLULU, HAWAII

Legal Ad Date: May 8, 1998

INVITATION FOR BIDS

NO. IFB-98-180-OMHK

SEALED BIDS
FOR
FURNISHING AND DELIVERING
VARIOUS VEHICLES
FOR

DEPARTMENT OF LAND AND NATURAL RESOURCES

will be received up to and opened at 2:00 p.m. (HST)

on

May 21, 1998

in the State Procurement Office, Kalanimoku Building, 1151 Punchbowl
Street, Room 416, Honolulu, Hawaii 96813.

Questions relating to this bid solicitation may be directed to
Alvin Washiashi at (808) 586-0571 or facsimile (808) 586-0570.

ROBERT J. GOVERNS, CPPB
Procurement Officer

IFB-98-180-OMHK

Name of Company

VARIOUS VEHICLES
FOR DEPARTMENT OF LAND AND NATURAL RESOURCES
IFB-98-180-OMHK

Procurement Officer
State Procurement Office
State of Hawaii
Honolulu, Hawaii 96813

Dear Sir:

The undersigned has carefully read and understands the terms and conditions specified in the Specifications and Special Provisions attached hereto, and in the General Terms and Conditions dated September 1, 1995 by reference made a part hereof and available upon request; and hereby submits the following offer to perform the work specified herein, all in accordance with the true intent and meaning thereof.

The undersigned further understands and agrees that by submitting this offer, 1) he/she is declaring his/her offer is not in violation of Chapter 84, Hawaii Revised Statutes, concerning prohibited State contracts, and 2) he/she is certifying that the price(s) submitted was (were) independently arrived at without collusion.

Date: _____

Respectfully submitted,

Telephone No.: _____

Exact Legal Name of Offeror

Fax No.: _____

Payment address, if other than
Street address at right:

Authorized Signature (Original)

Title

General Excise Tax Lic.
I.D. No.: _____

Street Address

Social Sec. or Federal I.D. No.: _____

City, State, Zip Code

If offeror shown above is a "dba" or a "division" of a corporation, furnish the exact legal name of the corporation under which the contract, if awarded, will be executed:

Offeror is: ____ Individual ____ Partnership ____ Corporation ____ Joint Venture

State of incorporation: Hawaii ____ *Other _____

*If "other", is corporate seal available in Hawaii? ____ Yes ____ No

The following bid (s) is hereby submitted for various vehicles for the Department of Land and Natural Resources (DLNR):

ISLAND: **HAWAII**

Item 1: Division of Conservation Resources Enforcement (DOCARE)

Two (2) only, new latest production, Pick-up Trucks, 3/4 Ton, Four (4) Wheel Drive, Heavy Duty, as specified herein:

Year_____

Manufacturer_____

Make & Model No._____

a. Transmission type: M, A, or L_____

b. Number of Speeds _____

c. Engine Size: Number Of liters & Cylinders_____

Other accessories:

a. Make & model of hitch_____

Towing Capacity_____

b. Make & Model of Camper Shell_____

c. Make & Model of Winch_____

Towing Capacity_____

Total Bid Price: \$_____x 2= \$_____

(Unit Bid Price)

Less Trade-In:

1983 Chevy Pick-up, 4 WD Lic SH 7190 (-) \$_____

Total Net Bid Price, Item 1: \$_____

Item 2: Division of Boating & Ocean Recreation (DOBOR)

One (1) only, new latest production, Pick-up Truck, 3/4 Ton, Four (4) Wheel Drive, Heavy Duty, as specified herein:

Year_____

Manufacturer_____

Make & Model No._____

a. Transmission type: M, A, or L_____

b. Number of Speeds _____

c. Engine Size: Number Of liters & Cylinders_____

Other accessories:

a. Make & model of hitch_____

Towing capacity_____

Total Bid Price, Item 2: \$_____

Offeror_____

Item 3: Division of State Parks

One (1) only, new latest production, Pick-up Truck, 3/4 Ton, Four (4) Wheel Drive, Heavy Duty, as specified herein:

Year_____

Manufacturer_____

Make & Model No._____

a. Transmission type: M, A, or L_____

b. Number of Speeds_____

c. Engine Size: Number Of liters & Cylinders_____

Other accessories:

a. Make & model of lift gate_____

Lift Capacity_____

Total Bid Price: \$_____

Less Trade-In:

1986 Ford F151 Pick-up, Lic SH 5928 (-) \$_____

Total Net Bid Price, Item 3: \$_____

Offeror_____

Item 4: Division of Boating & Ocean Recreation (DOBOR)

Year

Manufacturer

Make & Model No.

Transmission type: M, A, or L

Number of Speeds: _____

Engine Size: Number Of liters & Cylinders

Other accessories:

a. Make & model of hitch

Towing Capacity

b. Make & model of Winch

Towing Capacity

Total Bid Price, Item 4: \$

Item 5: Division of State Parks

One (1) only, new latest production, Twelve (12) Passenger Van as specified herein:

Year

Manufacturer

Make & Model No.

a. Transmission type: M, A, or L _____

b. Number of Speeds _____

c. Engine Size: Number Of liters & Cylinders

Total Bid Price, Item 5: \$

Offeror

MAUI

Item 6: Division of State Parks

One (1) only, new latest production, Pick-up Truck, 3/4 Ton, Four (4) Wheel Drive with Lift gate, as specified herein:

Year_____

Manufacturer_____

Make & Model No._____

a. Transmission type: M, A, or L_____

b. Number of Speeds:_____

c. Engine Size: Number Of liters & Cylinders_____

Other accessories:

a. Make & model of Lift Gate_____

b. Lift Capacity_____

c. Make & model of Pipe rack_____

d. Make & model of Winch_____

Towing capacity_____

e. Make & model of hitch_____

Towing Capacity_____

Total Bid Price, Item 6: \$_____

Offeror_____

ISLAND: OAHU

ITEM 7: Division of Conservation & Resources Enforcement (DOCARE)

Three (3) only, new latest production, Pick-up Trucks, 3/4 Ton, Four (4) Wheel Drive, as specified herein:

Year _____

Manufacturer _____

Make & Model No. _____

- a. Transmission type: M, A, or L _____
- b. Number of Speeds: _____
- c. Engine Size: Number Of liters & Cylinders _____

Other accessories:

- a. Make & model of Camper Shell _____
- b. Make & model of Winch _____
- c. Towing Capacity _____

Total Bid Price: \$ _____ x 3 = \$ _____
(unit bid price)

Less Trade-In:

1988 Ford Lic SH 4312 (-) \$ _____

1988 Chevy Lic SH 4304 (-) \$ _____

Total Net Bid Price, Item 7: \$ _____

Item 8: Division of Boating & Ocean Recreation (DOBOR)

One (1) only, new latest production, Pick-up Trucks, 1/2 Ton, Four (4) Wheel Drive, Heavy Duty, as specified herein:

Year _____

Manufacturer _____

Make & Model No. _____

- a. Transmission type: M, A, or L _____
- b. Number of Speeds: _____
- c. Engine Size: Number Of liters & Cylinders _____

Other accessories:

- a. Make & model of hitch _____
Towing Capacity _____
- b. Make & model of Winch _____
Towing Capacity _____

Total Bid Price, Item 8: \$ _____

Offeror _____

Vehicles shall be delivered as follows within 120 calendar days from official commencement date on the Notice To Proceed.

	<u>Delivery Address</u>	<u>Invoicing Address</u>
<u>HAWAII</u>		
Item 1:	DLNR-DOCARE 75 Aupuni Street Hilo, Hawaii 96720 Attn: Lawrence L. Terlep Sr. Ph: (808)974-6207 Fax: (808)974-6222	DLNR-DOCARE P.O. Box 936 Hilo, Hawaii 96720 Attn: Lawrence L. Terlep Sr. Ph: (808)974-6207 Fax: (808)974-6222
Item 2:	DLNR-DOBOR Honokohau Small Boat Harbor 74-380 Kealakehe Parkway Kailua-Kona, Hawaii 96740-4215 Attn: Jeffrey Bearman Ph: (808)329-4997	Same as Delivery address
Item 3:	DLNR-State Parks 75 Aupuni Street Hilo, Hawaii 96720 Attn: Allan Takeya Ph: (808)974-6205 Fax: (808)984-8111	DLNR-State Parks P.O. Box 936 Hilo, Hawaii 96720 Attn: Allan Takeya Ph: (808)974-6205 Fax: (808)984-8111
<u>KAUAI</u>		
Item 4:	DLNR-DOBOR Kukui Grove Executive Center 4370 Kukui Grove Street, Suite 109 Lihue, Hawaii 96766 Ph: (808)245-8028	Same as Delivery address
Item 5:	DLNR-State Parks Division Of Forestry & Wildlife Baseyard 4398D Pua Loke Road Lihue, Kauai Attn: Wayne Souza Ph: (808)274-3446	DLNR-State Parks P.O. Box 621 Honolulu, Hawaii 96809 Attn: Karen Motosue Ph: (808)587-0284

Offeror_____

Delivery Address

Invoicing Address

MAUI

Item 6: DLNR-Baseyard
685 Haleakala Highway
Kahului, Hawaii 96732

DLNR
54 S. High Street
Wailuku, Hawaii 96793
Attn: Mr Floyd S. Miyazono
Ph: (808)948-8100

OAHU

Item 7: DLNR
1151 Punchbowl Street Room 311
Honolulu, Hawaii 96813
Attn: Michael Lapilio
Ph: (808)587-0077
Fax: (808)587-0080

Same as Delivery address

Item 8: DLNR-DOBOR
Division Of Boating And Ocean
Recreation
333 Queen Street, Suite 300
Honolulu, Hawaii 96813
Attn: Stephen Thompson
Ph: (808)587-1973

Same as Delivery address

Service & Repair Facility on island of Hawaii:

Name _____
Address _____

Telephone No. _____
Contact: _____
Bidder's State License No. _____

Service & Repair Facility on island of Kauai:

Name _____
Address _____

Telephone No. _____
Contact: _____
Bidder's State License No. _____

Offeror _____

Service & Repair Facility on island of Maui:

Name _____

Address _____

Telephone No. _____

Contact: _____

Bidder's State License No. _____

Service & Repair Facility on island of Oahu:

Name _____

Address _____

Telephone No. _____

Contact: _____

Bidder's State License No. _____

Offeror _____

GENERAL SPECIFICATIONS

In addition to detailed specifications herein, the following requirements shall form a part of these specifications:

- a. Vehicle offered shall include any other standard features not listed but detailed in manufacturer's brochures and deemed necessary for the proper and safe operation of vehicle.
- b. Manufacturer's standard warranty of 36 months or 36,000 miles from the date the vehicle is placed in service whichever occurs first. Full coverage shall include cost of parts, labor and any other expenses incurred in performing warranty work. Warranty documents shall be delivered with the vehicle and shall detail manufacturer's obligation and warranty.
- c. Contractor shall provide a copy of the owner-operator manual and service/repair manual at the time vehicle is delivered.
- d. Vehicle shall include and comply with all Federal Motor Vehicle Safety Standards. Vehicle shall also comply with the Code of Federal Regulations, Title 40, Part 85: Control of Air Pollution from New Motor Vehicles and New Motor Vehicle Engines, Environmental Protection Agency.
- e. Vehicle shall be completely serviced and in full operational condition upon delivery.
- f. Accessory equipment installed on the vehicle shall be fully guaranteed by the Contractor against defects resulting from the use of defective or inferior materials or from neglect workmanship or against all design and manufacturing defects. Warranty period shall begin from the date equipment is placed in service and shall be for a minimum period of one (1) year or for the period guaranteed by the manufacturer, whichever is longer except for after market rustproofing which will be for a minimum five (5) years, unlimited mileage requirement warranty. Warranty documents shall be delivered with the vehicle and shall detail manufacturer's obligation and warranty procedures. Contractor shall replace or repair defective material and/or workmanship at no cost to the State for parts and labor during the warranty period, provided such defects are not due to abuse or negligence on the part of the State.
- g. All equipment offered shall meet ANSI and OSHA safety requirements, and any other Federal or State safety requirements. If applicable or when requested, equipment shall bear a label or written documentation indicating approval of safety requirements from a bonafide testing laboratory.

MINIMUM SPECIFICATIONS

Item 1: Department of Land & Natural Resources (DOCARE-Hawaii)

PICKUP TRUCK, 3/4 Ton (Heavy Duty), 4-Wheel Drive

1. Model
 - Latest production of Ford F-250 Supercab 3/4 Ton, Chevy Extended Cab 2500 3/4 Ton, Dodge Extended Cab 200 3/4 Ton
2. Type
 - 4 Wheel Drive (Heavy Duty)
3. G.V.W. Rating
 - 8,500 lbs. minimum capacity, Supercab
4. Wheelbase
 - 138 inches minimum, short bed (6 3/4')
5. Engine
 - 8 cylinders, 5.4 liter minimum
 - Gasoline powered, 200 horsepower minimum
 - Factory heavy duty cooling system
6. Transmission
 - Automatic 4 speed overdrive minimum
7. Transfer Case
 - 2 speed minimum, part time 4 wheel drive
8. Cab
 - Super Cab
 - Full width 40-20-40 bench seats
 - Manufactured standard upholstery of vinyl material
 - Carpet with accessory rubber floor mats
 - Factory gauge package with tachometer
 - AM/FM radio with digital clock
 - Sliding rear window
 - Tinted all around windows
 - Power windows and door locks
 - Tilt steering
 - Factory Air conditioning
9. Body/Trim
 - 6-3/4 feet bed minimum size, all steel
 - Fleet side or equal
 - Factory skid plates
 - Stabilizer bars, front and rear
 - 5" x 7" exterior dual rear side view mirrors, low mounted, swing away type
 - Front tow hooks, frame mounted
 - Complete after factory rust-proofing, with minimum five (5) year, unlimited mileage
10. Bumpers
 - Heavy duty rear step type w/rub strip
 - Front chrome, heavy duty w/brush guard
11. Electrical
 - 12 volt with 95 amps minimum alternator capable of charging battery at low engine speeds
 - Minimum 78 A.H., 750 CCA battery
12. Steering
 - Powered or power assisted
 - Front stabilizer bar
13. Brakes
 - Powered or power assisted front disc
 - Powered or power assisted rear drum with anti-lock system

- 14. Tires/Wheels
 - LT 235/85R X 16 or larger
 - On/Off road tire tread design
 - Deep dish forged aluminum wheels
 - 7 x 16 minimum size
 - Full size spare tire mounted on carrier on vehicle
 - Hydraulic jack and wheel wrench
- 15. Axles Front
 - 3,800 lbs. minimum, to include standard automatic locking hubs
- Rear
 - 6,000 lbs. minimum, to include limited slip differential
 - 4.10 gear ratio minimum
- 16. Suspension
 - Axles, springs, and shock absorbers must meet manufacturer's and Federal GAWR requirements of GAWR submitted, heavy duty Nitrogen gas pressurized shock absorbers
 - 7,000 lbs. Towing capacity minimum
- 17. Color Paint
 - White clearcoat
- 18. Other
 - Operators manual (two copies)
 - Shop repair manual
 - Electrical Trouble-Shooting manual
 - Locking gas cap
 - Liquid bed liner (spray on) type after market
 - Fuel tank (29.0) gallons, minimum
 - Light package, under hood & cargo area
 - Interior reading/map lights
 - After-market Camper shell, Stockland, Daytona model or equivalent fiber glass with full windows, painted to match vehicle
 - Trailer towing package consisting of:
 - Minimum heavy duty 78 A.H. battery
 - Super engine cooler
 - Auxiliary auto transmission oil cooler
 - Engine oil cooler
 - Trailer wiring harness
 - Heavy duty turn signal flasher
 - Class III tow hitch mounted on vehicle with 2-5/16 inch ball
 - Winch, 8,000 lbs. minimum, front mounted after market
 - Three (3) year, 36,000 mile warranty

MINIMUM SPECIFICATIONS

Item 2: Department of Natural Resources (DOBAR-Hawaii) Honokohau Small Boat Harbor

PICKUP TRUCK, 3/4 Ton, 4-Wheel Drive

1. Model - Latest production Chevy, Dodge, Ford, or equal
2. Type - 4 Wheel Drive
3. G.V.W. Rating - 7,200 lbs. minimum capacity
4. Wheelbase - 131 inches minimum
5. Engine - 8 cylinders, 5.4 liter minimum
- Gasoline powered,
- Factory heavy duty cooling system
- Coolant recovery system
6. Transmission - Automatic 4 speed minimum
7. Transfer Case - Electric, 2 speed, part time 4 wheel drive
8. Cab - Conventional Cab
- Bench seats
- Manufacture's standard upholstery of vinyl material
- Accessory type rubber floor mats
- AM/FM radio
- Factory Air conditioning-CFC Free
- Gauge package
9. Body/Trim - 8 feet bed minimum, all steel bed
- Fleet side, Styleside, Sweptline or equal
- Weather Guard model R-115 or equal aluminum toolbox, cross-bed mounted directly behind the cab with lock and key
- Factory skid plates
- Stabilizer bars, front and rear
- 5" x 7" exterior dual rear view mirrors
- Complete after-market rust proofing with five (5) year, unlimited mileage warranty
10. Bumpers - Standard front
- Rear step bumper
11. Electrical - 12 volt with minimum 95 amp alternator capable of charging battery at low engine speeds; wiring receptacle with plug for trailer lights
- 78 A.H., 750 amp battery, minimum
12. Steering - Powered with front stabilizer bar
13. Brakes - Powered with 4-wheel anti-locks
14. Tires/Wheels - Must meet manufacturer's and Federal GAWR requirements for GVW submitted; on/off highway treads; full size spare and wheel mounted on vehicle; jack and wheel wrench vehicle

- 15. Axles
 - Front shall include manual or automatic locking hubs; rear shall include locking or limited slip differential Rear
 - 4.10 gear ratio minimum
- 16. Suspension
 - Axles, springs, and shock absorbers must meet manufacturer's and Federal GAWR requirements of GAWR submitted
- 17. Color Paint
 - Buff (preferred) or White, high gloss enamel
- 18. Other
 - Operators manual (two copies)
 - Shop Repair manual
 - Electrical Trouble-Shooting manual
 - Trailer towing package consisting of:
 - Minimum heavy duty 78 A.H. battery
 - Super engine cooler
 - Auxiliary auto transmission oil cooler
 - Engine oil cooler
 - Trailer wiring harness
 - Heavy duty turn signal flasher
 - Backup alarm
 - Removable Class 3 tow hitch with pin, mounted on a receiver bolted to the rear frame under the rear bumper and includes three interchangeable balls: 1-7/8", 2", and 2-5/16"
 - Three (3) year, 36,000 miles warranty

MINIMUM SPECIFICATIONS

Item 3: Department of Land & Natural Resources State Parks-Hawaii

PICKUP TRUCK, FULL SIZE, 3/4 Ton, 4-Wheel Drive

1. Model - Latest production Ford 250 or equal
2. Type - 4 Wheel Drive
3. G.V.W. Rating - 7,200 lbs. minimum capacity
4. Wheelbase - 131 inches minimum
5. Engine
 - 8 cylinders minimum
 - 5.4 liter minimum
 - Gasoline powered
 - Factory heavy duty cooling system
 - Coolant recovery system
6. Transmission - Minimum 3 speed automatic
7. Transfer Case - 2 speed, part time 4 wheel drive
8. Cab
 - Conventional cab
 - Bench seats
 - Accessory type rubber floor mats
 - AM/FM radio
 - Air conditioning package
 - Gauge package
9. Body
 - Minimum 8 ft steel bed
 - Fleetside, styleside, sweptline or equal
 - Skid plates
 - Minimum 5" x 7" dual exterior rear view mirrors
 - Complete after-market rust proofing with five (5) year, unlimited mileage warranty
10. Bumpers - Standard Front
11. Lift gate - Electric/hydraulic lift gate; 1,000 lbs, minimum lift capacity
12. Electrical System - Heavy Duty 12 volt alternator capable of charging battery at low engine speed
13. Steering - Powered with front stabilizer bar
14. Brakes - Powered
15. Tires/Wheels - Must meet manufacturer's and Federal GAWR requirements for GVW submitted; on/off highway treads; full size spare and wheel mounted on vehicle; jack and wheel wrench
16. Axles, Front
 - To include automatic locking hubsRear
 - To Include locking or limited slip differential

- 17. Suspension
 - Axles, springs and shock absorbers must meet manufacturer's and Federal GAWR requirements for GVW submitted
- 18. Color Paint
 - Buff or White, high gloss enamel (buff preferred)
- 19. Other
 - Operators manual (two copies)
 - Shop repair manual
 - Electrical Trouble-Shooting manual
 - 2-1/2 lbs. fire extinguisher mounted in vehicle
 - Backup alarm
 - Three (3) year, 36,000 mile warranty

MINIMUM SPECIFICATIONS

Item 4: Department of Land & Natural Resources (DOBAR-Kauai)

PICKUP TRUCK, FULL SIZE, 1/2 Ton, 4-Wheel Drive

1. Model
 - Latest production of Chevrolet, Dodge, Ford, or equal
2. Type
 - 4 Wheel Drive
3. G.V.W. Rating
 - 5,600 lbs. minimum capacity
 - Extended Cab
4. Wheelbase
 - 139 inches minimum
5. Engine
 - 8 cylinders, 350 V8 minimum
 - 5.4 liter minimum
 - Gasoline powered, 230 hp/4000 RPM
 - Factory heavy duty cooling system
 - Coolant recovery system
6. Transmission
 - Minimum 4 speed automatic overdrive
7. Transfer Case
 - Electric, 2 speed minimum, part time 4 wheel drive
8. Electrical System
 - Heavy Duty 12 volt, minimum 95 amp alternator capable of charging battery at low engine speed
9. Steering
 - Powered or power assisted
 - Front stabilizer bar
10. Brakes
 - Powered or power assisted front disc and rear drums with 4-wheel anti-lock
11. Tires/Wheels
 - Largest size truck tires available P255/70R16 minimum from factory; on/off highway treads mounted on compatible wheels; full size spare mounted on carrier underneath vehicle;
 - jack and wheel wrench vehicle
12. Axles, Front
Rear
 - To include automatic locking hubs
 - To include locking or slip differential
13. Suspension
 - Heavy duty suspension (factory) shocks and springs must meet manufacturer's and Federal GAWR requirements for GVW submitted
14. Body, Interior
 - Full width seats
 - Upholstery manufacturer's standard vinyl material
 - Floor mats, accessory type
 - Factory gauge package with tach
 - AM/FM radio factory installed
 - Factory installed CFC free air conditioning system
 - Heaviest factory/tinted solar glass
 - Digital clock, factory installed
 - Non glare rear view mirror
 - Cigarette lighter for spotlight use
 - Dome reading lights
 - Driver's side air bag made standard

- Body, Exterior
- Two (2) door
 - Factory skid plates
 - Dual exterior rear view mirrors, 5" x7" minimum low mounted on swingout brackets
 - Complete after-market rust proofing with five (5) year, unlimited mileage warranty
 - Under hood lamp and inside hood release
 - Rear cargo bed area lamp
 - Dual headlights, Halogen type
 - Weather Guard model R-115 or equal aluminum toolbox, cross-bed mounted directly behind the cab with lock and key
 - Sliding rear window
 - 8 foot bed minimum, all steel
 - Sweptline or equal
15. Bumpers
- Heavy duty front with brush guard and two hooks (tow capacity = 8,000)
 - Heavy duty rear step type with rubber strip
16. Color Paint
- Buff or White, high gloss enamel
17. Other
- Operators manual (two copies)
 - Electrical Trouble-Shooting manual
 - Locking gas cap
 - Map lights
 - 5 lbs. fire extinguisher mounted on vehicle
 - Trailer towing package consisting of:
 - 7-pin trailer wiring harness
 - Class III frame mounted hitch
 - Minimum heavy duty 78 A.H. battery
 - Super engine cooler
 - Auxiliary auto transmission oil cooler
 - Engine oil cooler
 - Heavy duty shock absorbers
 - Backup alarm
 - Tracrac sliding truck rack system
 - Bumpers-Heavy duty front with electric winch 8,000 lbs. Pull, 12 volt, mounted hidden within front bumper with proper support
 - Three (3) year, 36,000 mile warranty

MINIMUM SPECIFICATIONS

Item 5: Department of Natural Resources (State Parks-Kauai) Kukui Grove Executive Center

New Twelve (12) Passenger Van

1. MODEL: -Latest production, Chevrolet Express Van or Ford Club Wagon or equal
2. G.V.W. RATING: -8,600 lbs. minimum capacity
3. WHEELBASE: -135 inches minimum
4. ENGINE: -Minimum 8 cylinder
-5.9 liter minimum
-Gasoline powered
-Factory heavy duty cooling system
-Coolant recovery system
5. TRANSMISSION: -Minimum 4 speed automatic
6. ELECTRICAL SYSTEM: -12 volt with heavy duty alternator capable of charging battery at low engine speed
7. STEERING: -Powered steering
8. BRAKES: -Powered or power assisted w/ABS
9. TIRES & WHEELS: -Tires and wheels must meet manufacturer's and GAWR requirements for GVW submitted
-Full size spare tire and wheel mounted on carrier inside or under vehicle
-Jack and wheel wrench
10. SUSPENSION: -Axles, springs and shock absorbers must meet manufacturer's and Federal GAWR requirements for GVW submitted
11. BODY, INTERIOR: -12 passenger seating capacity, all forward facing
-Individual front seats for driver and passenger
-Two 3-passenger and one 4-passenger rear bench seats
-Seatbelts for each seated passenger
-Dual front air bags (SRS)
-Standard vinyl upholstery
-Complete window package with vented or flip-out glass throughout, except for driver's compartment where windows shall roll down and the rear door where window shall be fixed
-Accessory type rubber floor mats, front and rear
-Defroster
-Factory AM/FM radio,
-Factory installed front and rear air conditioning with separate controls CFC free
-Gauge Package
-Factory tinted glass package

EXTERIOR:

- White, manufacturer's standard color
- Sliding or hinged right side loading door
- Dual pull out rear loading doors with fixed window
- Standard front and rear bumpers
- Fold-out step for sliding door
- Minimum 6" x 9" dual exterior rear view mirrors, low mounted on swingout brackets
- Complete after-market rust proofing with five (5) year unlimited mileage warranty

13. OTHER:

- Operator's manual (2 copies)
- Service & Repair manual (1 copy)
- Electrical Trouble-Shooting manual
- Minimum 29 gallon fuel tank with locking gas cap
- Backup alarm
- 36 month/36,000 miles warranty
- 2-1/2 lbs. ABC dry chemical fire extinguisher mounted on removable brackets in vehicle near the driver
- Three (3) warning triangles

MINIMUM SPECIFICATIONS

Item 6: Department of Land & Natural Resources State Parks-Maui

PICKUP TRUCK, FULL SIZE, 3/4 Ton, 4-Wheel Drive

1. Model
 - Latest production of Chevrolet K-20, Dodge, W-250, Ford 250, or equal
2. Type
 - 4 Wheel Drive
3. G.V.W. Rating
 - 7,200 lbs. minimum capacity
4. Wheelbase
 - 131 inches minimum (conventional cab)
5. Engine
 - 8 cylinders, minimum
 - 5.4 liter minimum
 - Gasoline powered
 - Factory heavy duty cooling system
 - Coolant recovery system
6. Transmission
 - Minimum 4 speed, automatic
7. Transfer Case
 - 2 speed minimum, part time 4 wheel drive
8. Cab
 - Conventional cab
 - Upholstery of manufacturer's standard vinyl material
 - Full width or split bench
 - Accessory type rubber floor mats
 - AM/FM radio, factory installed
 - Air conditioning package
 - Factory gauge package
 - Front window defroster
9. Body
 - Minimum 8 ft steel bed
 - Fleetside, Styleside, Sweptline or equal
 - Skid plates
 - Low mounted minimum 5"x7" dual exterior rear view mirrors
 - Complete after-market rust proofing with five (5) year unlimited mileage warranty
10. Bumpers
 - Standard front
11. Lift Gate
 - Thieman Tailgate model TT15 or equal, top lifter, with spring assist closing, diamond plate steel platform, 1,500 lbs. Lift capacity with swing-away bumper
12. Electrical System
 - Heavy Duty 12 volt alternator capable of charging battery at low engine speed
13. Steering
 - Powered or power assisted
 - Front stabilizer bar
14.
 - Powered or power assisted
15. Tires/Wheels
 - Must meet manufacturer's and Federal GAWR requirements for GVW submitted; on/off highway treads; full size spare mounted on carrier on vehicle; jack and wheel wrench

- | | | |
|-----|----------------------|---|
| 16. | Axles, Front
Rear | <ul style="list-style-type: none">- To include automatic locking hubs- To include locking or slip differential |
| 17. | Suspension | <ul style="list-style-type: none">- Axles, springs and shock absorbers must meet manufacturer's and Federal GAWR requirements for GVW submitted |
| 18. | Color Paint | <ul style="list-style-type: none">- Factory buff or White, high gloss enamel |
| 19. | Other | <ul style="list-style-type: none">- Operators manual (two copies)- Shop repair manual- Electrical Trouble-Shooting manual- Backup alarm- Dual purpose hitch with two (2) inch ball for use with tow ring or ball coupler, GVW pintle capacity 16,000 lbs., hitch capacity 10,000 lbs., vertical load capacity 3,000 lbs.- Three (3) year, 36,000 mile warranty |

MINIMUM SPECIFICATIONS

Item 7: Department of Land & Natural Resources (DOCARE-Oahu)

PICKUP TRUCK, 3/4 Ton (Heavy Duty), 4-Wheel Drive

1. Model
 - Latest production of Ford F-250 Supercab 3/4 Ton, Chevy Extended Cab 2500 3/4 Ton, Dodge Extended Cab 200 3/4 Ton
2. Type
 - 4 Wheel Drive (Heavy Duty)
3. G.V.W. Rating
 - 8,600 lbs. minimum capacity, Supercab
4. Wheelbase
 - 138 inches minimum, short bed (6 3/4')
5. Engine
 - 8 cylinders, 5.4 liter minimum
 - Gasoline powered, 200 horsepower minimum
 - Factory heavy duty cooling system
6. Transmission
 - Automatic 4 speed overdrive minimum
7. Transfer Case
 - 2 speed minimum, part time 4 wheel drive
8. Cab
 - Super Cab
 - Full width 40-20-40 bench seats
 - Manufacturer's standard upholstery of vinyl material
 - Full length rubber flooring (no carpet)
 - Factory gauge package with tachometer
 - AM/FM radio with digital clock
 - Sliding rear window
 - Tinted all around windows
 - Power windows and door locks
 - Tilt steering
 - Factory Air conditioning
9. Body/Trim
 - 6-3/4 feet bed minimum size, all steel
 - Fleet side or equal
 - Factory skid plates
 - Stabilizer bars, front and rear
 - 5" x 7" exterior dual rear side view mirrors, low mounted, swing away type
 - Front tow hooks, frame mounted
 - Complete after factory rust-proofing, with minimum five (5) year, unlimited mileage
10. Bumpers
 - Heavy duty rear step type w/rub strip
 - Front chrome, heavy duty w/brush guard
11. Electrical
 - 12 volt with 95 amps minimum alternator capable of charging battery at low engine speeds
 - Minimum 78 A.H., 750 CCA battery
12. Steering
 - Powered or power assisted
 - Front stabilizer bar
13. Brakes
 - Powered or power assisted front disc
 - Powered or power assisted rear drum with anti-lock system

- 14. Tires/Wheels
 - LT 235/85R X 16 or larger
 - On/Off road tire tread design
 - Deep dish forged aluminum wheels
 - 7 x 16 minimum size
 - Full size spare tire mounted on carrier on vehicle
 - Hydraulic jack and wheel wrench
- 15. Axles Front
 - 3,800 lbs. minimum, to include standard automatic locking hubs

Rear

 - 6,000 lbs. minimum, to include limited slip differential
 - 4.10 gear ratio minimum
- 16. Suspension
 - Axles, springs, and shock absorbers must meet manufacturer's and Federal GAWR requirements of GAWR submitted, heavy duty Nitrogen gas pressurized shock absorbers
 - 7,000 lbs. Towing capacity minimum
- 17. Color Paint
 - White clearcoat
- 18. Other
 - Operators manual (two copies)
 - Locking gas cap
 - Liquid bed liner (spray on) type after market
 - Fuel tank (29.0) gallons, minimum
 - Light package, under hood & cargo area
 - Interior reading/map lights
 - After-market Camper shell, Stockland, Motorsport Model or equivalent, full windows, painted to match vehicle
 - Trailer towing package consisting of:
 - Minimum heavy duty 78 A.H. battery
 - Super engine cooler
 - Auxiliary auto transmission oil cooler
 - Engine oil cooler
 - Trailer wiring harness
 - Heavy duty turn signal flasher with 2-5/16 inch ball
 - Winch, 8,000 lbs. minimum, front mounted after market
 - Three (3) year, 36,000 mile warranty

MINIMUM SPECIFICATIONS

Item 8: Department of Land & Natural Resources (DOBOR-Oahu)

PICKUP TRUCK, FULL SIZE, 1/2 Ton, 4-Wheel Drive

1. Model
 - Latest production of Chevrolet, Dodge, Ford, or equal
2. Type
 - 4 Wheel Drive
3. G.V.W. Rating
 - 5,600 lbs. minimum capacity
Extended cab
4. Wheelbase
 - 139 inches minimum
5. Engine
 - 8 cylinders, 350 V8 minimum
 - 5.4 liter minimum
 - Gasoline powered, 230 hp/4000 RPM
 - Factory heavy duty cooling system
 - Coolant recovery system
6. Transmission
 - Minimum 4 speed automatic overdrive
7. Transfer Case
 - Electric, 2 speed, part time 4 wheel drive
8. Electrical System
 - Heavy Duty 12 volt, minimum 95 amp alternator capable of charging battery at low engine speed
9. Steering
 - Powered or power assisted
 - Front stabilizer bar
10. Brakes
 - Powered or power assisted front disc and rear drums with 4-wheel anti-lock
11. Tires/Wheels
 - Largest size truck tires available P255/70R16
 - Minimum from factory on/off highway treads mounted on compatible wheels; full size spare mounted on carrier underneath vehicle; hydraulic jack and wheel wrench vehicle
12. Axles, Front
Rear
 - To include automatic locking hubs
 - To include locking or slip differential
13. Suspension
 - Heavy duty suspension (factory) shocks and springs. Must meet manufacturer's and Federal GAWR requirements for GVW submitted
14. Body, Interior
 - full width seats
 - Upholstery manufacturer's standard vinyl material
 - Floor mats, accessory type
 - Factory gauge package with tach
 - AM/FM radio factory installed
 - Factory installed CFC free air conditioning system
 - Heaviest factory/tinted solar glass
 - Digital clock, factory installed
 - Non glare rear view mirror
 - Cigarette lighter for spotlight use
 - Dome reading lights
 - Driver's side air bag made standard

- | | |
|-----------------|--|
| Body, Exterior | <ul style="list-style-type: none"> - Two (2) door - Factory skid plates - Dual exterior rear view mirrors, 5" x7" minimum low mounted on swingout brackets - Complete after-market rust proofing with five (5) year, unlimited mileage warranty - Under hood lamp and inside hood release - Rear cargo bed area lamp - Dual headlights, Halogen type - Weather Guard model R-115 or equal aluminum toolbox, cross-bed mounted directly behind the cab with lock and key - Sliding rear window - 8 foot bed minimum, all steel - Sweptline or equal |
| 15. Bumpers | <ul style="list-style-type: none"> - Heavy duty front with brush guard and two hooks (tow capacity = 8,000) - Heavy duty rear step type with rubber strip |
| 16. Color Paint | <ul style="list-style-type: none"> - Buff or White, high gloss enamel |
| 17. Other | <ul style="list-style-type: none"> - Operators manual (two copies) - Shop repair manual - Electrical Trouble-Shooting manual - Locking gas cap - Map lights - Trailer towing package consisting of: <ul style="list-style-type: none"> - 7-pin trailer wiring harness - Class III frame mounted hitch - Minimum heavy duty 78 A.H. battery - Super engine cooler - Auxiliary auto transmission oil cooler - Engine oil cooler - Heavy duty shock absorbers - Backup alarm - Tracrac sliding truck rack system - Bumpers-Heavy duty front with electric winch 8,000 lbs. Pull, 12 volt, mounted hidden within front bumper with proper support - Three (3) year, 36,000 mile warranty |

SPECIAL PROVISIONS

SCOPE

The furnishing and delivering of vehicles specified shall be subject to the Specifications, these Special Provisions and the General Terms and Conditions dated September 1, 1995 and included by reference. Copies of the General Terms and Conditions are available at the State Procurement Office, Room 416, 1151 Punchbowl Street, Honolulu, Hawaii 96813, the DAGS District Offices on Hawaii, Kauai and Maui, and on the Internet at <http://www.state.hi.us>.

BIDDER QUALIFICATION

Service Facility. At the time of bidding, bidder shall have an established place of business with reasonable inventory of replacement parts and shop facility for repairing and servicing the vehicles and any accessories offered. Such facility shall be located on the islands of Hawaii, Kauai, Maui and Oahu as applicable.

If bidder does not have a facility on the applicable island where the vehicle will be serviced, he shall arrange with a company on the island to provide the State with repair services, and shall furnish the name and address of this facility in the space provided on the Offer Form. The State reserves the right to inspect bidder's repair and service shop to determine acceptability under this requirement. Failure on the part of the bidder to meet this requirement shall result in rejection of bid.

State License. Chapter 437, HRS, as amended, provides for regulating and licensing of motor vehicle manufacturers and distributors and their branches and representatives, motor vehicle dealers, salesmen, auctions and auctioneers and any other persons engaged in the business of selling or purchasing motor vehicles in the State of Hawaii. Therefore, all prospective bidders who are interested in selling vehicles to the State of Hawaii shall provide proof that they do meet and satisfy the licensing requirement set forth in said statute by listing the license number in the space provided on the Offer Form.

Chapter 437-2(e) provides that, notwithstanding any provisions of Chapter 437, the authority of any State agency to purchase motor vehicles for State use from any dealer licensed under this chapter shall not be limited or conditioned. Any dealer licensed under this chapter may sell vehicles to any State agency notwithstanding section 437-2(b).

"Motor vehicle" includes any vehicle, motor vehicle, or truck, as defined in Sections 249-1 and 249-2, HRS, as amended, except for tractors, trailers and amphibious vehicles.

BID PREPARATION

Offeror Form, Page OF-1. Offeror is requested to submit its offer using offeror's exact legal name as registered with the Department of Commerce and Consumer Affairs, if applicable; and to indicate exact legal name in the appropriate space on Offer Form, page OF-1. Failure to do so may delay proper execution of the contract.

Offeror's authorized signature shall be an original signature in ink. If Offer Form, page OF-2, is unsigned or the affixed signature is a facsimile or a photocopy, the offer shall be automatically rejected unless accompanied by other material, containing an original signature, indicating the offeror's intent to be bound.

Tax Liability. Unless the Hawaii Revised Statutes (HRS) exempts a person from paying the applicable general excise tax, work to be performed under this solicitation is a business activity taxable under Chapter 237, HRS and Chapter

Tax Liability. (continued)

238, HRS, where applicable. Both out-of-state vendors and Hawaii vendors are advised that the gross receipts derived from this solicitation are subject to the general excise tax imposed by Chapter 237, HRS, at the current rate of 4%, and where applicable to tangible property imported into the State of Hawaii for resale, subject to the 1/2% use tax imposed by Chapter 238, HRS.

The "State of Hawaii Information of Hawaii State Taxes Administered by the Department of Taxation", Publication 1 (November 1993) is included herein by reference and available in the State Procurement Office, 1151 Punchbowl Street, Room 416, Honolulu, Hawaii 96813, upon request.

Pursuant to Section 103-53.5, HRS, where the offeror is exempted from paying the applicable general excise tax, the price package offered, for the purpose of determining the lowest price bid, shall be increased by the applicable retail rate of general excise tax (4%) and the applicable use tax (1/2%). The lowest responsible offeror, taking into consideration the above increases, shall be awarded the contract, but the contract amount of any contract awarded shall be the amount of the bid offered and shall not include the amount of the increase(s).

Bid Price. Bid price quoted shall be based on delivery to destination and shall include all other costs and applicable taxes. Bid shall also include, when applicable, cost for installation of accessories, modifications of unit and instructional training in the use of the accessory equipment and vehicle. Offeror need not bid on all items.

Tax Clearance. An **original or certified copy** of a tax clearance certificate issued by the Hawaii State Department of Taxation (DOTAX) and the Internal Revenue Service (IRS) must be submitted with offeror's sealed offer by the due date and time.

The tax clearances from DOTAX and IRS shall be obtained on the attached one-page, two-sided **Tax Clearance Application (Form A-6, Rev.1998)** which is accompanied by Instructions that offerors should carefully read. Effective March 1, 1998, only this revised Form A-6 will be accepted by DOTAX and IRS.

Out-of-state offerors should mail their application to DOTAX's Oahu District Office.

Effective 12/1/97 tax clearance certificates are valid for a **six-month** (not 180 day) period beginning on the later dated DOTAX or IRS approval stamp. For example, a 12/15/97 certificate is valid through 6/15/97.

The tax clearance submitted with the sealed offer must be valid on the solicitation's legal ad date or any date thereafter up to the offer due date. A valid tax clearance received with the offer will remain valid for the contract award.

For the purpose of this solicitation the State Procurement Office will accept the attached completed SPO Form TEMP B, "Certification for Tax Clearance" in place of the DOTAX Form A-6 (Rev.1998), if offeror is unable to obtain a tax clearance certificate in time for submittal with the sealed offer. However, the successful offeror is required to submit a tax clearance certificate prior to award.

NOTE: The above tax clearance requirement is in addition to the existing requirement for final payment. Refer to the special provisions on INVOICING below for information on the tax clearance requirement for final payment.

Make, Model and Other Information. Bidder must identify on the offer the year of manufacture, the exact manufacturer name and make and model number of vehicles offered. Failure to do so or the inclusion of remarks such as "as specified" shall be sufficient grounds for rejection of bid.

Make, Model and Other Information (continued)

If additional space is needed to provide complete product identification, bidder may attach a separate sheet to the bid for that purpose. No bidder will be allowed to clarify product identification after bid opening. This is to assure that all bids are submitted under the same conditions with no opportunity for one bidder to have an advantage over any other bidder after exposure of offers. Failure to offer equipment as specified may result in rejection of bid.

Brochures and Specifications Literature. Unless previously submitted to the State Procurement Office, the bidder shall submit with the bid, current brochures and/or specifications literature. Upon request, bidder shall furnish at his own expense and within five working days from date of State's request, any further information required to determine acceptability of vehicle or accessory equipment offered.

Offer Guaranty. Bid security deposit is not required for this bid.

BID EVALUATION

Bid price for vehicle with established EPA mileage ratings as listed in the US Dept. of Energy's Fuel Economy Guide, Model year 1998 shall be evaluated using the following formula:

Evaluated Bid Price = $\frac{70,000}{\text{City EPA Mileage Rating}}$ x \$1.40 + Total Bid Price
(neighbor Islands)

Evaluated Bid Price = $\frac{60,000}{\text{City EPA Mileage Rating}}$ x \$1.40 + Total Bid Price
(Oahu)

In order to determine the exact EPA mileage rating, bidders must furnish the following information on the offer:

- a. manufacturer's name and model number
- b. transmission type: A, M or L
- c. number of speeds.
- d. engine size: number of liters & cylinders

If the EPA milage rating cannot be determined using the 1998 Department of Energy's Fuel Economy Guide for all vehicle offers for the respective item number(s), the bid evaluation will be based on Net Total Bid Price only.

METHOD OF AWARD

Award, if any, shall be made on an individual item number bases to the responsive, responsible bidder submitting the lowest Total Bid Price, Total Net Bid Price, if applicable or Evaluated Bid Price , if applicable (see "Bid Evaluation") for each item.

CONTRACT EXECUTION

For contract award totaling \$25,000 or more, the State shall forward a formal contract to the successful bidder for execution. The contract shall be executed by the Contractor and returned within ten (10) days in accordance with Section 3.3 of the General Terms and Conditions. No performance or payment bond shall be required for this contract.

No work is to be undertaken by the Contractor prior to the commencement date specified on the Notice to Proceed. The State of Hawaii is not liable for any work, contract, costs, expenses, loss of profits, or any damages whatsoever incurred by the Contractor prior to official starting date.

QUALITY OF EQUIPMENT

All Vehicles furnished shall include and comply with all Federal Motor Vehicle Safety Standards. Vehicles furnished shall also comply with the Code of Federal Regulations, Title 40, Part 85: Control of Air Pollution from New Motor Vehicles and New Motor Vehicle Engines, Environmental Protection Agency.

New vehicles furnished under this provision shall be of the best quality of its respective kind, and shall be completely assembled and free from defects which may render them unfit for use. No payment, whether partial or final, shall be construed to be an acceptance of defective work.

The State may, at any time and by written order, stop delivery of any vehicle not conforming to these specifications. Such stop order shall not relieve the Contractor of his obligation to complete his contract within the contract time limits nor shall it in any way terminate, cancel or abrogate the contract or any part thereof.

DELIVERY

Vehicle furnished under these specifications shall be delivered to the location listed on the Offer Form page OF-2 within one hundred twenty (120) calendar days of the official commencement date on the Notice To Proceed. Representatives of both the Contractor and State shall be present at the delivery site for purposes of visual inspection, acceptance, and, if necessary, for instruction in use of equipment.

Prior to delivery, Contractor must contact the State representative listed to coordinate delivery arrangements.

CERTIFICATES REQUIRED

- a. Hawaii Safety Inspection Certificate (in duplicate) and decal;
- b. Application for Registration of Passenger Carrying Motor Vehicle, Form #DF-L-1 (Rev. 1/84) or its latest revision;
- c. Odometer Certificate;
- d. Notarized Certificate of Bill of Sale (not required for Oahu dealerships);

These certificates are essential for the proper registration and licensing of used and new vehicles. Therefore, acceptance of and payment for the vehicle delivered will not be made without submittal of necessary certificates. The agency shall be responsible for registering and licensing of this vehicle; this procedure shall be conducted in the County where the vehicle is delivered. Contractor shall provide temporary license plates to be used during the interim period prior to acquisition of State of Hawaii license plates.

LIQUIDATED DAMAGES

Refer to Section 6.12 of the General Terms and Conditions. Liquidated damages is fixed at the sum of TEN DOLLARS (\$10.00) for each and every day the Contractor delays in the completion of any item of his contract after the required date of said completion.

DELIVERY EXTENSION

Contractor shall complete delivery within one hundred twenty (120) calendar days from the official commencement date on the Notice to Proceed as noted in the DELIVERY provision. If Contractor fails to deliver within the time allowed, liquidated damages as specified herein shall apply. However, Contractor will not be held responsible for delays due to reasons beyond his control, provided he submits written notification of such delays prior to the delivery deadline. This notification shall be submitted to the Procurement Officer and shall detail the reasons for the delays and shall include appropriate documentation. No delivery extension will be considered without proper documentation.

INVOICING

Contractor shall submit original and three copies of the invoice to the agency listed on the Offer Form page OF-3.

Invoice should reference both the contract number and the Invitation For Bid number.

A tax clearance certificate must accompany the invoice for final payment and shall be an original or certified copy, not over two-months old.

PAYMENT

Section 103-10, Hawaii Revised Statutes (HRS), provides that the State shall have thirty (30) calendar days after receipt of invoice or satisfactory delivery of goods to make payment. For this reason, the State will reject any bid submitted with a condition requiring payment within a shorter period. Further, the State will reject any bid submitted with a condition requiring interest payments greater than that allowed by Section 103-10, HRS, as amended.

The State will not recognize any requirement established by the Contractor and communicated to the State after award of the contract, which requires payment within a shorter period or interest payment not in conformance with statute.

WARRANTY

Contractor shall provide all warranties for this new vehicle as noted on General Specifications, page SP-1.

ADDITIONS AND EXCEPTIONS TO THE GENERAL TERMS AND CONDITIONS

Approvals. Any agreement arising out of this offer is subject to the approval of the Department of the Attorney General as to form, and to all further approvals, including the approval of the Governor, required by statute, regulation, rule, order, or other directive.

Cancellation of Solicitations and Rejection of Offers. The solicitation may be cancelled or the offers may be rejected, in whole or in part, when in the best interest of the purchasing agency, as provided in Sections 3-122-95 through 3-122-97, Hawaii Administrative Rules.

Provisions from the General Terms and Conditions Not Applicable. Sections 2.11 and 2.14 of the General Terms and Conditions which apply specifically to the Request for Proposals method of source selection are not applicable to Invitation for Bids. Also Sections 2.10 and 2.13 which apply specifically to the Invitation for Bids method of source selection are not applicable to Requests for Proposals.

Records Retention. The Contractor and any subcontractors shall maintain the books and records that relate to the Agreement and any cost or pricing data for three (3) years from the date of final payment under the Agreement.

Preparation of Offer. General Terms and Conditions Section 2.5, paragraph four, is rescinded and replaced with the following:

"An offeror may submit only one offer in response to a solicitation. If an offeror submits more than one offer in response to a solicitation, then all such offers shall be rejected. Similarly, an offeror may submit only one offer for each line item (if any) of a solicitation. If an offeror submits more than one offer per line item, then all offers for that line item shall be rejected."

Preference for Hawaii Products. General Terms and Conditions Section 3.1(B), paragraphs one and two only are rescinded and replaced with the following: "A purchasing agency shall review all specifications in a bid or proposal for purchase from the Hawaii products list where these products are available; provided that the products: Meet the minimum specifications and the selling price f.o.b. jobsite; unloaded, including applicable general excise tax and use tax, does not exceed the lowest delivered price in Hawaii f.o.b. jobsite; and unloaded, including applicable general excise tax and use tax, does not exceed the lowest delivered price of a similar non-Hawaii product by more than: three per cent where class I Hawaii products are involved; five per cent where class II Hawaii products are involved; or ten per cent where class III Hawaii products are involved.

All persons submitting bids or proposals to claim Hawaii products preference shall designate in their bids which individual product and its price is to be supplied as a Hawaii product.

Where a bid or proposal contains both Hawaii and non-Hawaii products, then for the purpose of selecting the lowest bid or purchase price only, the price bid or offered for a Hawaii product item shall be decreased by subtracting therefrom: three per cent, five per cent, or ten per cent for the class I, class II, or class III Hawaii product items bid or offered, respectively. The lowest total bid or proposal, taking the preference into consideration, shall be awarded the contract unless the bid or offer provides for additional award criteria. The contract amount of any contract awarded, however, shall be the amount of the bid or price offered, exclusive of the preferences."

Printing Preference. General Terms and Conditions Section 3.1(C), paragraphs one and two are rescinded and replaced with the following: "All bids or proposals submitted for a printing, binding, or stationery contract in which all work will be performed in-state, including all preparatory work, presswork, bindery work, and any other production-related work shall receive a fifteen per cent preference for purposes of bid or proposal evaluation.

Where bids or proposals are for work performed in-state and out-of-state, then for the purpose of selecting the lowest bid or evaluating proposals submitted only, the amount bid or proposed for work performed out-of-state shall be increased by fifteen per cent. The lowest total offer, taking the preference into consideration, shall be awarded the contract unless the solicitation provides for additional award criteria. The contract amount awarded, however, shall be the amount of the price offered, exclusive of the preference."

Bond Forms. The bond forms, Exhibits B through H, are replaced by the forms issued by the Procurement Policy Board Directive No. 1997-01, dated November 12, 1997, included herein by reference and made a part hereof. Copies of the bond forms are available at the State Procurement Office, 1151 Punchbowl Street, Room 416, Honolulu, Hawaii 96813.